

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	resilient plastic cover
--------------	-------------------------

Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>
-----------------	--

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search History

DATE: Thursday, August 26, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L24</u>	L23 and "probe"	0	<u>L24</u>
<u>L23</u>	resilient plastic cover	69	<u>L23</u>
<u>L22</u>	L1 and "resilient plastic cover"	0	<u>L22</u>
<u>L21</u>	L1 and "resilient plastic cover"	0	<u>L21</u>
<u>L20</u>	L11 and "resilient plastic sheath"	0	<u>L20</u>
<u>L19</u>	L1 and "soft plastic sheath"	0	<u>L19</u>
<u>L18</u>	L1 and "plastic sheath"	27	<u>L18</u>
<u>L17</u>	L1 and "polyethylene sheath"	3	<u>L17</u>
<u>L16</u>	L1 and "polyethylene sleeve"	1	<u>L16</u>
<u>L15</u>	L14 and "polyethylene"	4	<u>L15</u>
<u>L14</u>	L1 and "probe sleeve"	15	<u>L14</u>
<u>L13</u>	L1 and "soft sleeve"	0	<u>L13</u>
<u>L12</u>	L1 and "polyethylene cover"	3	<u>L12</u>
<u>L11</u>	L10 and "polyethylene"	2	<u>L11</u>
<u>L10</u>	L1 and "soft cover"	4	<u>L10</u>

DB=PGPB; PLUR=YES; OP=ADJ

<u>L9</u>	L7 and "soft"	0	<u>L9</u>
<u>L8</u>	L7 and "soft cover"	0	<u>L8</u>
<u>L7</u>	20040071188	1	<u>L7</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L6</u>	L1 and "retractable"	114	<u>L6</u>
<u>L5</u>	L1 and "retractible"	9	<u>L5</u>
<u>L4</u>	L1 and "extendable cord"	0	<u>L4</u>
<u>L3</u>	L1 and "retractable cord"	0	<u>L3</u>
<u>L2</u>	L1 and "retractable probe"	4	<u>L2</u>
<u>L1</u>	374/\$	33101	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	L1 and "retractable"
Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search History

DATE: Thursday, August 26, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L6</u>	L1 and "retractable"	114	<u>L6</u>
<u>L5</u>	L1 and "retractable"	9	<u>L5</u>
<u>L4</u>	L1 and "extendable cord"	0	<u>L4</u>
<u>L3</u>	L1 and "retractable cord"	0	<u>L3</u>
<u>L2</u>	L1 and "retractable probe"	4	<u>L2</u>
<u>L1</u>	374/\$	33101	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	resilient plastic cover
--------------	-------------------------

Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="-"/>	Starting with Number <input type="text" value="1"/>
-----------------	--	--

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Thursday, August 26, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side			result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L24</u>	L23 and "probe"	0	<u>L24</u>
<u>L23</u>	resilient plastic cover	69	<u>L23</u>
<u>L22</u>	L1 and "resilient plastic cover"	0	<u>L22</u>
<u>L21</u>	L1 and "resilient plastic cover"	0	<u>L21</u>
<u>L20</u>	L11 and "resilient plastic sheath"	0	<u>L20</u>
<u>L19</u>	L1 and "soft plastic sheath"	0	<u>L19</u>
<u>L18</u>	L1 and "plastic sheath"	27	<u>L18</u>
<u>L17</u>	L1 and "polyethylene sheath"	3	<u>L17</u>
<u>L16</u>	L1 and "polyethylene sleeve"	1	<u>L16</u>
<u>L15</u>	L14 and "polyethylene"	4	<u>L15</u>
<u>L14</u>	L1 and "probe sleeve"	15	<u>L14</u>
<u>L13</u>	L1 and "soft sleeve"	0	<u>L13</u>
<u>L12</u>	L1 and "polyethylene cover"	3	<u>L12</u>
<u>L11</u>	L10 and "polyethylene"	2	<u>L11</u>
<u>L10</u>	L1 and "soft cover"	4	<u>L10</u>

DB=PGPB; PLUR=YES; OP=ADJ

<u>L9</u>	L7 and "soft"	0	<u>L9</u>
<u>L8</u>	L7 and "soft cover"	0	<u>L8</u>
<u>L7</u>	20040071188	1	<u>L7</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L6</u>	L1 and "retractable"	114	<u>L6</u>
<u>L5</u>	L1 and "retractible"	9	<u>L5</u>
<u>L4</u>	L1 and "extendable cord"	0	<u>L4</u>
<u>L3</u>	L1 and "retractable cord"	0	<u>L3</u>
<u>L2</u>	L1 and "retractable probe"	4	<u>L2</u>
<u>L1</u>	374/\$	33101	<u>L1</u>

END OF SEARCH HISTORY